

Bibliography

Models – Development, Implementation, Evaluation

- Baker, E.A., Bouldin, N., Durham, M., Lowell, M.E., Gonzalez, M., Jodaitis, N., Cruz, L.N., Torres, I., Torres, M., & Adams, S.T. (1997). Latino Health Advocacy Program: A collaborative lay health advisor approach. Health Education and Behavior, 24(4), 495-509.
- Barnes, M.D., & Fairbanks, J. (1997). Problem-based strategies promoting community transformation: Implications for the community health worker model. Family Health Journal, 20(1), 54-65.
- Barnes-Boyd, C., Fordham, Norr, K., & Nacion, K.W. (2001). Promoting infant health through home visiting by a nurse-managed community worker team. Public Health Nursing, 18(4), 225-35.
- Berkley-Patton, J., Fawcett, S.B., Paine-Andrews, A., & Johns, L. (1997). Developing capacities of youth as lay health advisors: a case study with high school students. Health Education and Behavior, 24(4), 481-94.
- Bird, J.A., McPhee, S.J., Ha, N.T., Le, B., Davis, T., & Jenkins, C.N. (1998). Opening pathways to cancer screening for Vietnamese-American women: lay health workers hold a key. Preventive Medicine, 27(6), 821-9.
- Blumenthal, C., Eng, E., & Thomas, J.C. (1999). STEP Sisters, Sex, and STDs: A process evaluation of the recruitment of lay health advisors. American Journal of Health Promotion, 14(1), 4-6.
- Brownstein, J.N., Cheal, N., Ackermann, S.P., Bassford, T.L., & Campos-Outcalt, D. (1992). Breast and cervical cancer screening in minority populations: A model for using lay health educators. Journal of Cancer Education, 7(4), 321-6.
- Butz, A.M., Malveaux, F.J., Eggleston, P., Thompson, L., Schneider, S., Weeks, K., Huss, K., Murigande, C., & Rand, C.S. (1994). Use of community health workers with inner-city children who have asthma. Clinical Pediatrics, 33(3), 135-41.
- Castro, F.G., Elder, J., Coe, K., Tafoya-Barraza, H.M., Moratto, S., Campbell, N., & Talavera, G. (1995). Mobilizing churches for health promotion in Latino communities: Companeros en la Salud. Journal of the National Cancer Institute, Monographs, 18, 127-35.
- Cauffman, J. G., Wingert, W. A., Friedman, D. B., Warburton, E. A., & Hanes, B. (1970). Community health aides: How effective are they? American Journal of Public Health, 60(10), 1904-1909.

- Centers for Disease Control and Prevention. (1994). Community health advisors Atlanta, GA: Centers for Disease Control and Prevention.
- D'Augelli, A. R., & Ehrlich, R. P. (1982). Evaluation of a community-based system for training natural helpers.II. Effects on informal helping activities. American Journal of Community Psychology, 10(4), 447-456.
- Earp, J.A., Viadro, C.I., Vincus, A.A., Altpeter, M., Flax, V., Mayne, L., & Eng, E. (1997). Lay health advisors: A strategy for getting the word out about breast cancer. Health Education and Behavior, 24(4), 432-51.
- Eng, E., & Hatch, J. W. (1991). Networking between agencies and Black churches: The lay health advisor model. Prevention and Human Services, 10(1), 123-146.
- Eng, E., Parker, E., & Harlan, C. (1997). Lay health advisor intervention strategies: A continuum from natural helping to paraprofessional helping. Health Education and Behavior, 24(4), 4130-7.
- Eng, E., & Young, R. (1992). Lay health advisors as community change agents. Family and Community Health, 15, 24-40.
- Fedorak, S.A. (1987). A nontraditional work/training program for community health workers. Educational Gerontology, 13(3), 239-48.
- Giblin, P.T. (1989). Effective utilization and evaluation of indigenous health care workers. Public Health Reports, 104(4), 361-8.
- Gomez-Murphy, M. (1998). Innovative strategies in delivering health care: The promotora model. Salud Sin Fronteras-Health Without Borders: Proceedings of the U.S.-Mexico Border Conference on Women's Health (pp. 155-157). National Cancer Institute.
- Hetherington, K. (1995). Professionals and non-professionals beyond the difference: The emergence of mutual compromise. International Journal of Mental Health, 24(1), 59-69.
- Israel, B. A. (1985). Social networks and social support: Implications for natural helper and community level interventions. Health Education Quarterly, 12(1), 65-80.
- Jenkins, S. (1991). Community wellness: A group model for rural America. Journal of Health Care for the Poor and Underserved, 1(4), 388-404.
- Kelly, J.M., Osamba, B., Garg, R.M., Hamel, M.J., Lewis, J.J., Rowe, S.Y., Rowe, A.K., & Deming, M.S. (2001). Community health worker performance in the management of multiple childhood illnesses: Siaya District, Kenya, 1997-2001. American Journal of Public Health, 91(10), 1617-24.

- Kendall, K. S., & Kenkel, M. B. (1989). Social exchange in the natural helping interaction. Journal of Rural Community Psychology, 10(2), 25-44.
- Lacey, L., Tukes, S., Manfredi, C., & Warnecke, R.B. (1991). Use of lay health educators for smoking cessation in a hard-to-reach urban community. Journal of Community Health, 16(5), 269-82.
- Matamora, M. K. S. Mass produced village health workers and the promise of primary health care. Social Science and Medicine, 28(10), 1081-1084.
- Maurana, & Cheryl, A. (2000). Strategies for Developing a Community Health Advocate Program. Family & Community Health
<http://www.findarticles.com/cf_0/m0FSP/1_23/61574134/p1/article.jhtml?term=mauran> (April 2000).
- McFarlane, J. (1996). De Madres a Madres: An access model for primary care. American Journal of Public Health, 86(6), 879-880.
- Meister, J.S., Warrick, L.H., de Zapien, J.G., & Wood, A.H. (1992). Using lay health workers: case study of a community-based prenatal intervention. Journal of Community Health, 17(1), 37-51.
- Melville, B., Fidler, T., Mehan, D., Bernard, E., & Mullings, J. (1995). Growth monitoring: the role of community health volunteers. Public Health, 109(2), 111-6.
- Milligan, S., Maryland, P., Ziegler, H., & Ward, A. (1987). Natural helpers as street health workers among Black urban elderly. The Gerontologist, 27(6), 712-715.
- Musser-Granski, J., & Carrillo, D.F. (1997). The use of bilingual, bicultural paraprofessionals in mental health services: Issues for hiring, training, and supervision. Community Mental Health Journal, 33(1), 51-60.
- Navarro, A.M., Senn, K.L., McNicholas, L.J., Kaplan, R.M., Roppe, B., & Campo, M.C. (1998). Por La Vida model intervention enhances use of cancer screening tests among Latinas. American Journal of Preventive Medicine, 15(1), 32-41.
- Parker, E.A., Schulz, A.J., Israel, B.A., & Hollis, R. (1998). Detroit's East Side Village Health Worker Partnership: Community-based lay health advisor intervention in an urban area. Health Education and Behavior, 25(1), 24-45.
- Patterson, S. L. (1987). Older rural natural helpers: Gender and site differences in the helping process. The Gerontologist, 27(5), 639-644.
- Patterson, S. L. (1977). Toward a conceptualization of natural helping. ARETE, 4(3), 161-173.

Perino, S.S. (1992). Nike-Footed health workers deal with the problems of adolescent pregnancy.

Public Health Reports, 107(2), 208-12.

Pew Health Professions Commission, Center for the Health Professions, University of California, San Francisco. (1994). Community health workers: integral yet often overlooked members of the health care workforce. San Francisco, CA: Pew Health Professions Commission, Center for the Health Professions, University of California, San Francisco.

Pilisuk, M., Parks Hillier, S., Kelly, J., & Turner, E. (1982). The helping network approach: Community promotion of mental health. Journal of Primary Prevention, 3(2), 126-132.

Poland, M.L., Giblin, P.T., Waller, J.B. Jr, & Bayer, I.S. (1991). Development of a paraprofessional home visiting program for low-income mothers and infants. American Journal of Preventive Medicine, 7(4), 204-7.

Pryor-Jones, S. G. (1985). Contrasting models of change: the case of community health workers. Harvard Graduate School of Education.

Reininger, B., & Dinh-Zarr, T. (1999). Dimensions of participation and leadership: Implications for community-based health promotion for youth. Family and Community Health, 22(2), 72-81.

Rodney, M., Clasen, C., Goldman, G., Markert, R., & Deane, D. (1998). Three evaluation methods of a community health advocate program. Journal of Community Health, 23(5), 371-81.

Rosenthal, E. L., & Koch, E. (1998). Annie E. Casey Foundation.

Ross, H. (2000). Vietnamese women and cervical cancer: lay health workers can help change behaviors. Closing the Gap. <<http://www.omhrc.gov/OMH/sidebar/archivedctg.htm>> (2000, August)

Sanchez-Bane, M., & Moya Guzman, E. M. (1999). Community-based health promotion and community health advisors: Prevention works when they do it. M. O. Loustaunau, & M. Sanchez-Bane (Editors), Life, death, and in-between on the U.S.-Mexico border: Asi es la vida (pp. 131-153). Westport, CT: Bergin & Garvey.

Sherer, J.L. (1994). Neighbor to neighbor. Community health workers educate their own. Hospitals and Health Networks, 68(20), 52-6.

Sherer, J.L. (1994). Bringing providers to the people. Alaska and a Florida county blaze new trails in non-physician care delivery. Hospitals and Health Networks, 68(3), 56-60.

Tri-City Community Mental Health Center. (1987). Tender loving caregivers: how-to manual on developing congregation based services for older adults & family caregivers. East Chicago, IN: Tri-City Community Mental Health Center.

Williams, D.M. (2001). La Promotora Linking disenfranchised residents along the border to the U.S. health care system. Health Affairs, 20(3), 212-218.

Practice

Alcalay, R., Alvarado, M., Balcazar, H., Newman, E., & Huerta, E. (1999). Salud para su corazon: a community-based Latino cardiovascular disease prevention and outreach model. Journal of Community Health, 24(5), 359-79.

Altpeter, M., Earp, J.L., Bishop, C., & Eng, E. (1999). Lay health advisor activity levels: Definitions from the field. Health Education & Behavior, 26(4), 495-512.

Ballew, J. R. (1985). Role of natural helpers in preventing child abuse and neglect. Social Work, 30(1), 37-41.

Bone, L. R., Mamon, J., Levine, D. M., Walrath, J. M., Nanda, J., Gurley, H. T., Noji, E. K., & Ward, E. (1989). Emergency department detection and follow-up of high blood pressure: use and effectiveness of community health workers. American Journal of Emergency Medicine, 7(1), 16-20.

Community Health Advisor Programs, National Rural Health Association, November 2000, 5 pages. <<http://www.NRHArural.org/dc/issuepapers/ipaper17.html>>

Bryant, J.H. (1978). Community health workers: The interface between communities and health care systems. WHO Chronicle, 32(4), 144-8.

Fuller, J. (1995). Challenging old notions of professionalism: how can nurses work with paraprofessional ethnic health workers? Journal of Advanced Nursing, 22(3), 465-72.

Hempel, S. (1988). Servants of good health...community health workers. Nursing Times, 84(50), 30-31.

Hender, D. E., & Pitkin, K. (1987). Bridging the gap: The village health worker as the cornerstone of the primary health care model. Social Science and Medicine, 24(6), 515-528.

Ireland, M., & Krauss, B.J. (1997). Women find their voices. The success of community outreach and case finding. N and HC Perspectives on Community, 18(2), 62-7.

Kahssay, H., Taylor, M. E., & Bermana, P. A. (1998). Community health workers: the way forward. Geneva: World Health Organization.

- Kelly, E., McFarlane, J., Rodriguez, R., & Fehir, J. (1993). Community health organizing: Whom are we empowering? Journal of Health Care for the Poor and Underserved, 4(4), 358-62 .
- Levkovich, N. Differences in Program Implementation Between Nurses and Paraprofessionals Providing Home Visits During Pregnancy and Infancy: A Randomized Trial. American Journal of Public Health, 89, 1847-1851.
- May, K.M., Mendelson, C., & Ferketich, S. (1995). Community empowerment in rural health care. Public Health Nursing, 12(1), 25-30.
- McIntyre, J. (1998). Ethical holistic thinking and practice for community health workers and nurses. Australian Journal of Holistic Nursing, 5(1), 19-31.
- Patterson, S. L., & Marsiglia, F. (2000). "Mi casa es su casa": Beginning exploration of Mexican Americans' natural helping. Families in Society: The Journal of Contemporary Human Services, 81(1), 22-31.
- Patton, S. (1995). Empowering women: Improving a community's health. Nursing Management, 26(8), 36-7, 41 (Aug. 1995).
- People Helping People. (1997). Walking our talk in the neighborhoods: Building professional/natural helper partnerships. Social Policy. 27(4), 54-63.
- Poss, J.E. (1999). Providing culturally competent care: is there a role for health promoters? Nursing Outlook, 47(1), 306.
- Ramirez-Valles, J. (1998). Promoting health, promoting women: The construction of female and professional identities in the discourse of community health workers. Social Science and Medicine, 47(11), 1749-62.
- Roman, L.A., Lindsay, J.K., Moore, J.S., & Shoemaker, A.L. (1999). Community health workers: Examining the helper therapy principle. Public Health Nursing, 16(2), 87-95.
- Romantja, R. M., Wagstaff, L. A., & Khomo, N. E. (1998). Urban community health workers: selection, training, practice and outcomes. Curationis: South African Journal of Nursing, 21(3), 38-41.
- Ross, H. (2000). Reaching rural communities. Border vision fronteriza: Tapping into community workers and volunteers. Closing the Gap. <<http://www.omhrc.gov/OMH/sidebar/archivedctg.htm>> (2000, March).
- Ruebush, T.K. 2nd, Weller, S.C., & Klein, R.E. (1994). Qualities of an ideal volunteer community malaria worker: A comparison of the opinions of community residents and national malaria service staff. Social Science and Medicine, 39(1), 123-31.

- Sanguinetti, J. (1994). The Sound of Babel and the Language of Friendship: An Exploration of Critical and Feminist Pedagogies and Their Application in Teaching ESL and Literacy to Women. Australian Journal of Adult and Community Education, 34(1), 18-38.
- Sherer, J. L. (1994). Neighbor to neighbor: community health workers educate their own. Hospitals & Health Networks, 68(20), 52-54, 56.
- Shimazu, S. (1996). English, Medical Services, Parenting and Work Experience (EMPW). Asian Pacific Health Care Ventures.
- Skeet, M. (1985). Community health workers: promoters or inhibitors or primary health care? International Nursing Review, 32(2/260), 55-58.
- Stark, R. Lay workers in primary health care: Victims in the process of social transformation. Social Science and Medicine, 20(3), 269-275.
- Vallance, T.R., & D'Augelli, A.R. (1982). The helping community: Characteristics of natural helpers. American Journal of Community Psychology, 10(2), 197-205.
- Witmer, A., Seifer, S.D., Finocchio, L., Leslie, J., & O'Neil, E.H. (1995). Community health workers: Integral members of the health care work force. American Journal of Public Health, 85(8), 1055-8.
- Wrigley, H. S. (1993). One size Does Not Fit All: Educational Perspectives and Program Practices in the U. S. TESOL Quarterly, 27(3), 449-465.

Research

- Bell, R. A., Hillers, V., & Thomas, T. (1999). The abuela project: Safe cheese workshops to reduce the incidence of Salmonella Typhimurium from Consumption of raw-milk fresh cheese. American Journal of Public Health, 89, 1421-1424.
- Birkel, R.C., Golaszewski, T., Koman, J.J. 3rd, Singh, B.K., Catan, V., & Souply, K. (1993). Findings from the Horizontes Acquired Immune Deficiency Syndrome Education project: The impact of indigenous outreach workers as change agents for injection drug users. Health Education Quarterly, 20(4), 523-38.
- Booker, V.K., Robinson, J.G., Kay, B.J., Najera, L.G., & Stewart, G. (1997). Changes in empowerment: Effects of participation in a lay health promotion program. Health Education and Behavior, 24(4), 452-64.
- Braithwaite, R.L., Bianchi, C., & Taylor, S.E. (1994). Ethnographic approaches to community organization and health empowerment. Health Education Quarterly, 21(3), 407-416.
- Butcher, P. & Davis, H. (1988). A personal effectiveness and stress management course for community health workers: a pilot study. Patient Education & Counseling, 12(1), 13-27.

- Flax, V.L., & Earp, J.L. (1999). Counseled women's perspectives on their interactions with lay health advisors: A feasibility study. Health Education Research, 14(1), 15-24.
- Hiatt, R.A., Pasick, R.J., Stewart, S., Bloom, J., Davis, P., Gardiner, P., Johnston, M., Luce, J., Schorr, K., Brunner, W., & Stroud, F. (2001). Community-based cancer screening for underserved women: Design and baseline findings from the breast and cervical cancer intervention study. Preventive Medicine, 33(3), 190-203.
- Hill, M.N., Bone, L.R., Butz, A.M. (1996). Enhancing the role of community-health workers in research. Image the Journal of Nursing Scholarship, 28(3), 221-6.
- Health Resources and Services Administration, Bureau of Primary Health Care. (1998). Impact of community health workers on access, use of services, and patient knowledge and behavior. Bethesda, MD: Health Resources and Services Administration, Bureau of Primary Health Care.
- Jackson, E.J., & Parks, C.P. (1997). Recruitment and training issues from selected lay health advisor programs among African Americans: A 20-year perspective. Health Education and Behavior, 24(4), 418-31.
- Kelley, P., & Kelley, V.R. (1985). Supporting natural helpers: A cross-cultural study. Social Casework: The Journal of Contemporary Social Work, 66(6), 538-566.
- Klein, N.A., Sondag, K.A., & Drolet, J.C. (1994). Understanding volunteer peer health educators' motivations: Applying social learning theory. Journal of American College Health, 43(3), 126-30.
- Krieger, J., Collier, C., Song, L., & Martin, D. (1999). Linking community-based blood pressure measurement to clinical care: A randomized controlled trial of outreach and tracking by community health workers. American Journal of Public Health, 89(6), 856-61.
- Love, M.B., Gardner, K., & Legion, V. (1997). Community health workers: Who they are and what they do. Health Education Behavior, 24(4), 510-22.
- May-Garcia, S. A. (1997). Indigenous lay health workers in rural Arizona. Thesis, MS Nursing-University of Arizona
- Research to support household and community IMCI. Report of a meeting, 22-24 January 2001, Baltimore, Maryland, USA. (2001). Journal of Health, Population and Nutrition, 19(2), S111-48.
- Sung, J.F., Blumenthal, D.S., Coates, R.J., Williams, J.E, Alema-Mensah, E., & Liff, J.M. (1997). Effect of a cancer screening intervention conducted by lay health workers among inner-city women. American Journal of Preventive Medicine, 13(1), 51-7.

University of Arizona. (1998). A Summary of the National Community Health Advisor Study.

University of Arizona. (1998). Weaving the Future: The Final Report of the National Community Health Advisor Study.

World Health Organization. (1989). Strengthening the performance of community health workers in primary health care: report of a WHO study group.

Zuvekas, A., Nolan, L., Tumaylle, C., & Griffin, L. (1999). Impact of community health workers on access, use of services, and patient knowledge and behavior. Journal of Ambulatory Care Management, 22(4), 33-44.

Training/Education

Abbatt, F. R., & McMahon, R. (1989). Teaching health-care workers: a practical guide. Houndmills, Basingstoke, Hampshire: Macmillan.

Anderson, D., Harris, M., & McCosker, H. (1997). Violence against women: an educational program for rural community health workers. Australian Journal of Rural Health, 5(1), 17-21.

Anonymous. (1986). Guidelines for training community health workers in nutrition. WHO, 2, 121.

Anonymous. (2000). Practice notes: Strategies in health education. Program: Promoting disease prevention communication and education through promotoras: the hantavirus training partnership. Health Education & Behavior, 27(6) 679-680.

Faigin, S. B. (1985). Basic ESL Literacy from a Freirain Perspective: A Curriculum Unit for Farmworker Education. Unpublished Thesis, University of British Columbia.

Galbraith, M. W. (1995). Communitiy-Based Organizations and the delivery of Lifelong Learning Opportunities. Presented at Conference, 1995.

Johnston, M. P., & Rifkin, S. B. (1987). Health care together: training exercises for health workers in community based programmes. London: Macmillan Publishers.

Memmot, J., & Brennan, E. M. (1988). Helping orientations and strategies of natural helpers and social workers in rural settings. Social Work Research and Abstracts, 24(2), 15-20.

New Mexico Prenatal Care Network, New Mexico Area Health Education Center. (1993). Reaching out: a training manual for community health workers in New Mexico.

Albuquerque, NM: New Mexico Prenatal Care Network, New Mexico Area Health Education Center.

Serrano, E. (1997). Evaluation of a training program preparing abuelas as nutrition educators. Unpublished doctoral dissertation, Colorado State University, Fort Collins.

Notes: Thesis

Ramos, I.N., May, M., & Ramos, K.S. (2001). Environmental health training of promotoras in colonias along the Texas-Mexico border. American Journal of Public Health, 91(4), 568-70.

Weiss, H. & Halpern, R. (1990). Community-based Family Support and Education Programs: Something Old or Something New? National Center for Children in Poverty.

World Health Organization. (1987). The community health worker: working guide, guidelines for training, guidelines for adaptation.

International – Crosses all other categories

Adebayo, A.B. (1995). Characteristics, employment status, and scope of duties of community health representatives: A survey of graduates. Canadian Journal of Public Health, 86(1), 16-9.

Cufino Svitone, E., Garfield, R., & Vasconcelos, M.I. (2000). Primary health care lessons from the northeast of Brazil: Agentes de Saude Program. Pan American Journal of Public Health, 7(5): 293-302.

Davies, J., Harris, M., Roberts, G., Mannion, J., McCosker, H., & Anderson, D. (1996). Community workers' response to violence against women...presented to the 21st Annual Conference, ANZCMHN September 1995: "Celebrating a New Era", Australian New Zealand Journal of Mental Health Nursing, 5(1), 20-31.

Earle, D. (1999). The border colonias and the problem of communication: Applying anthropology for outreach. Westport, CT: Bergin & Garvey.

Hernandez, E., Rodriguez, J., & Robinson, J. G. (1998). Creating support systems for colonia women through a lay health promotion outreach program. Salud Sin Fronteras-Health Without Borders: Proceedings of the U.S.-Mexico Border Conference on Women's Health, 171-173.

Khanchandani, R., & Gillam, S. (1999). The ethnic minority linkworker: A key member of the primary health care team? British Journal of General Practice, 49(449), 993-4.

- Leigh, A. F., Barnes, M. D., Crabtree, R. D., & Fairbanks, J. (1998). Boundary spanners: Las promotoras in the borderlands. U.S.-Mexico BorderHealth: Issues for Regional and Migrant Populations, 141-166.
- Majumdar, B., Amarsi, Y., & Carpio, B. (1997). Pakistan's community health workers. Canadian Nurse, 93(5), 32-34.
- Mentz, J. C. N. (1989). Community health workers in Gazankulu. Curationis: South African Journal of Nursing, 12(3/4), 2-10.
- Quillian, J. P. (1993). Community health workers and primary health care in Honduras. Journal of the American Academy of Nurse Practitioners, 5(5), 219-225.
- Ramirez-Valles, J. (1999). Changing women: The narrative construction of personal change through community health work among women in Mexico. Health Education and Behavior, 26(1), 25-42.
- Ramirez-Valles, J. (2001). "I was not invited to be a [CHW]... I asked to be one": Motives for community mobilization among women community health workers in Mexico. Health Education and Behavior, 28(2), 150-165.
- San Sebastian, M., Goicolea, I., & Narvaez, M. (2001). Improving immunization coverage in rural areas of Ecuador: A cost-effectiveness analysis. Tropical Doctor, 31, 21-24.
- Schulz, A.J., Israel, B.A., Becker, A.B., & Hollis, R.M. (1997). "It's a 24-hour thing ... a living-for-each-other concept": Identity, networks, and community in an urban village health worker project. Health Education and Behavior, 24(4), 465-80.
- Spaulding, H. S. (1994). Can I make a difference?...teaching community health workers in Somalia. Journal of Christian Nursing, 11(2), 28-31.
- Taylor, M., Langan, J., & Hoggett, P. (1995). Encouraging diversity: voluntary & private organizations in community care. Aldershot, England: Arena.
- Taha, A. Z. (1997). How to make the most of village health promoters. World Health Forum, 18(3-4), 278-281.

Virginia Center For Health Outreach

Funded by the Department of Health and Human Services, Health Resources & Services Administration

Grant No. 1 D1A RH 00045-01